

BAxxx: 4" Boot Kits



Features:

- One-piece design for easy installation and superior water-sealing properties
- Kits include rubber BOOT, one Cushion Insert, and two Stainless Steel Hose Clamps
- For use with our 4" Entry Panels or Tube Entry
- Additional configurations can be made using Barrel Cushions with appropriate mating hanger size
- Blank boots can be used to seal unused ports or can be field cut for custom hole configurations
- For rooftop entries use SCS30 Rubber Sealer

Construction:

- Boot jacket and Cushion Insert are manufactured from EPDM rubber for ; material meets ASTM-D2000 and SAE J200
- Hose clamps have 201 Stainless Steel band and housing with 305 Stainless Steel screw

Related Products:

- 4" Entry Panels, Tube Entry, Cushion Inserts, Cushion Plugs, Barrel Cushions

BAxxx: 4" Boot Kits

Coax Cables

Part #	Cable Size & Type	Hole Size	# of Holes	U of M
BA14F	1/4" Flex Coax	0.295"	1	Each
BA143F	1/4" Flex Coax	0.295"	3	Each
BA38	3/8" Coax	0.440"	1	Each
BA384	3/8" Coax	0.440"	4	Each
BA123AIR	1/2" Air Coax	0.580"	3	Each
BA12FLX	1/2" Flex Coax	0.520"	1	Each
BA123FLX	1/2" Flex Coax	0.520"	3	Each
BA124FLX	1/2" Flex Coax	0.520"	4	Each
BA12	1/2" Foam Coax	0.630"	1	Each
BA122	1/2" Foam Coax	0.630"	2	Each
BA123	1/2" Foam Coax	0.630"	3	Each
BA124	1/2" Foam Coax	0.630"	4	Each
BA129	1/2" Foam Coax	0.630"	9	Each
BALR94	5/8" Coax	0.870"	4	Each
BA78	7/8" Coax	1.110"	1	Each
BA782	7/8" Coax	1.110"	2	Each
BA783	7/8" Coax	1.110"	3	Each
BA784	7/8" Coax	1.110"	4	Each
BA114	1-1/4" Coax	1.560"	1	Each
BA158	1-5/8" Coax	2.000"	1	Each
BA214	2-1/4" Coax	2.375"	1	Each
BAZERO	Blank, No Holes	N/A	0	Each

Mixed Coax

Part #	Cable Size & Type	Hole Sizes	# of Holes	U of M
BA121M	(1) 1/2" Foam Coax & (2) 7/8" Coax	0.63", 1.11"	3	Each
BA122M	(2) 1/2" Foam Coax & (1) 7/8" Coax	0.63", 1.11"	3	Each
BA123M	(3) 1/2" Foam Coax & (2) 7/8" Coax	0.63", 1.11"	5	Each
BA158M	(1) 1/2" foam Coax & (1) 1-5/8" Coax	0.63", 2.0"	2	Each

BAxxx: 4" Boot Kits

LMR Cables

Part #	Cable Size & Type	Holes Size	# of Holes	U of M
BALR24	LMR-240	0.240"	4	Each
BALX4	LMR-400, 3/8" Flex, & RG11U	0.405"	1	Each
BALR42	LMR-400, 3/8" Flex, & RG11U	0.405"	2	Each
BALR44	LMR-400, 3/8" Flex, & RG11U	0.405"	4	Each
BALR9	LMR-900	0.870"	1	Each
BALR94	LMR-900	0.870"	4	Each

Elliptical Waveguide

Part #	Cable Size & Type	Hole Size	# of Holes	U of M
BAEW43	EW43	2.85" x 1.64"	1	Each
BAEW52	EW52, EWP52, & WE61	2.25" x 1.30"	1	Each
BAEW60	WE60	2.10" x 1.15"	1	Each
BAEW63	EW63, EWP63, & WE65	2.01" x 1.165"	1	Each
BAEW632	EW63, EWP63, & WE65	2.01" x 1.165"	2	Each
BAEW64	EW64, EWP64, & WE70	1.92" x 1.12"	1	Each
BAEW77	EW77 & EWP77	1.76" x 1.04"	1	Each
BAEW85	EW85 & WE108	1.33" x 0.92"	1	Each
BAEW90	EW90 & EWP90	1.32" x 0.80"	1	Each
BAEW903	EW90 & EWP90	1.32" x 0.80"	3	Each
BAEW180	EW180, EWP180, WE190, & WE191	0.80" x 0.49"	1	Each

Rectangular Waveguide

Part #	Cable Size & Type	Hole Size	# of Holes	U of M
BAWR75	WR75	0.85" x 0.475"	1	Each
BAWR90F	WR90 Flex	1.21" x 0.67"	1	Each
BAWR137	WR137	1.50" x 0.75"	1	Each
BAWR137F	WR137 Flex	1.77" x 1.01"	1	Each

Conduit

Part #	Cable Size & Type	Hole Size	# of Holes	U of M
BA34	3/4" Conduit	0.77"	1	Each