

			PARTS LIST			
	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	4	X-LPP-SA14	SIDE ARM WELDMENT FOR 14' LOW PROFILE PLATFORM		151.68	606.71
2	4	X-LPP-CW	LOW PROFILE PLATFORM CORNER WELDMENT		198.75	795.01
3	4	X-RM4HD	WELDMENT FOR 4-SIDED HEAVY DUTY RING MOUNT		71.27	285.08
4	4	X-WWSP4	WALKWAY SUPPORT PLATE FOR 4-SIDED PLATFORM	12 in	13.00	52.01
5	16	X-LPP-PC	FACE PIPE CONNECTION BRACKET FORTRESS PLATFORM		7.01	112.15
6	16	X-WWSB	WALKWAY SUPPORT BRACKET		6.73	107.67
7	16	X-SCX3-FR	FORTRESS CROSSOVER PLATE		6.61	105.82
8	16	X-LPP-A7	CORNER WELDMENT ATTACHMENT ANGLE	2 1/2 in	1.27	20.33
9	4	GRS12-12	12" WIDE GRIP STRUT	120 in	31.00	124.00
10	4	P30150	2-7/8" X 150" (2-1/2" SCH. 40) GALVANIZED PIPE	150 in	76.94	307.75
11	16	P30120	2-7/8" x 120" (2-1/2" SCH. 40) GALVANIZED PIPE	120 in	58.07	929.06
12	28	G58R-48	5/8" x 48" THREADED ROD (HDG.)	48 in	0.40	11.17
12	28	G58R-24	5/8" x 24" THREADED ROD (HDG.)	24 in	0.40	11.17
13	8	G58R-8	5/8" x 8" THREADED ROD (HDG.)		0.70	5.58
14	16	X-UB5304	5/8" X 3" X 4-1/4" X 2-1/2" U-BOLT (HDG.)		0.98	15.60
15	64	X-UB5300	5/8" X 3" X 5-1/4" X 2-1/2" U-BOLT (HDG.)		1.15	73.56
17	48	G58214	5/8" x 2-1/4" HDG HEX BOLT GR5		0.29	13.99
18	24	A58FW	5/8" HDG A325 FLATWASHER		0.03	0.82
19	224	G58FW	5/8" HDG USS FLATWASHER	1/8 in	0.07	15.78
20	296	G58LW	5/8" HDG LOCKWASHER		0.03	7.72
21	296	G58NUT	5/8" HDG HEAVY 2H HEX NUT		0.13	38.45
22	32	X-UB3312	3/8" X 3-1/2" X 4-3/4" X 2" U-BOLT (HDG.)		0.73	23.41
23	64	G3802	3/8" x 2" HDG HEX BOLT GR5		0.09	5.62
24	48	SQW38	3/8" SQUARE WASHER	2 in	0.29	13.89
25	128	G38FW	3/8" HDG USS FLATWASHER		0.01	1.50
26	128	G38LW	3/8" HDG LOCKWASHER		0.01	0.85
27	128	G38NUT	3/8" HDG HEAVY 2H HEX NUT		0.03	4.33
28	4	X-162290	QUAD BRACKET		54.48	217.94
29	4	320751-I	5/16 CHAIN SHACKLE		0.76	3.05
30	8	320777 - I	5/16" THIMBLE		0.06	0.48
31	4	X-TBW	T-BRACKET WELDMENT		13.60	54.40
32	16	G58234	5/8" UNC HEX BOLT (A325)	2 3/4 in	0.36	5.69
33	4	320601-I	5/8" TURNBUCKLE		2.63	10.53
34	4	320103	3/8" EHS GUY STRAND		3.50	14.02
35	16	320152-I	5/16" CABLE CLAMP		1.32	21.04
36	1	HALO	HALO		40.35	40.35
					TOTAL WT. #	4209.82

## **TOLERANCE NOTES**

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (± 0.030°) DRILLED AND GAS CUT HOLES (± 0.030°) - NO CONING OF HOLES LASER CUT EDGES AND HOLES (± 0.010°) - NO CONING OF HOLES BENDS ARE ± 1/2 DEGREE

ALL OTHER MACHINING (± 0.030") ALL OTHER ASSEMBLY (± 0.060")

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT
INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF
VALMONT INDUSTRIES IS STRUCTLY PROHIBITED.

DESCRIPTION


F4P-12-H10





Engineering Support Team: 1-888-753-7446


Locations: New York, NY Atlanta, GA Los Angeles, CA Plymouth, IN Salem, OR Dallas, TX

CPD	NO.	DRAWN BY	ENG. APPROVAL	PART NO.	١.
		CEK 10/2/2017		F4P-12-H10	0 3
CLAS	S SUB	DRAWING USAGE	CHECKED BY	DWG. NO.	אַ רד[
81	02	CUSTOMER	BMC 11/1/2017	F4P-12-H10	5












TOLEI SAWE DRILL LASEI	TOLERANCE NOTES  TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (± 0.030") DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES BENDS ARE ± 1/2 DEGREE		RIPTIO	N F4P-12-H10			SITE PRO	Engineering Support Team: 1-888-753-7446	Locations: New York, NY Atlanta, GA Los Angeles, CA Plymouth, IN Salem, OR Dallas, TX	
	OTHER MACHINING <i>(± 0.030")</i> OTHER ASSEMBLY <i>(± 0.060")</i>	CPD NO	).	DRAWN BY CEK 10/2/2017	ENG. APPROVAL	PA	PART NO. F4P	-12-H10		2 PA
THE DATA	TARY NOTE: A AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT UES AND COMBIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE COMSENT OF IT INDUSTRIES IS STRICTLY PROHISTED.	CLASS 81	suв <b>02</b>	CUSTOMER	CHECKED BY BMC 11/1/2017	1 -	DWG. NO. F4P-	-12-H10		F 5




## NOTE:

ANTENNA MOUNTING PIPES AND WALKWAY REMOVED FOR CLAIRTY








TOLERANCE NOTES	Ī
TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (± 0.030") DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES BENDS ARE ± 1/2 DEGREE	
ALL OTHER MACHINING (± 0.030") ALL OTHER ASSEMBLY (± 0.060")	r
ALL OTHER ASSEMBLY (2 0.000 )	L
PROPRIETARY NOTE:  THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STROTLY PROHIBITED.	(

DESCRIPTION F4P-12-H10					Engineering Support Team: 1-888-753-7446 Pymouth, I Salem, OR Dallas, TX					
ľ	CPD N	0.	DRAWN BY CEK 10/2/2017	ENG. APPROVAL	PART NO. F4P-12-H10	4 0				
(	81	SUB 02	DRAWING USAGE CUSTOMER	CHECKED BY BMC 11/1/2017	DWG. NO. F4P-12-H10	F 5				



TOLERANCE NOTES	DESCRIP	TION		CPTP 3	Locations: New York, N		
TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (± 0.030") DRILLED AND GAS CUT HOLES (± 0.030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (± 0.010") - NO CONING OF HOLES BENDS ARE ± 1/2 DEGREE		F4P-12-H10		STTE PRO 1	Engineering Atlanta, GA Support Team: Los Angeles 1-888-753-7446 Plymouth, IN Salem, OR	nta, GA Angeles, CA nouth, IN em, OR	
ALL OTHER MACHINING (± 0.030") ALL OTHER ASSEMBLY (± 0.060")	CPD NO.	DRAWN BY CEK 10/2/2017	ENG. APPROVAL	PART NO.	P-12-H10	5 0	
PROPRIETARY MOTE: THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT MOUSTRIES AND COMBIDERS OF ATRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT HOUSTRESS IS STRICTLY PROMISETED.	CLASS SU 81 0	DRAWING USAGE CUSTOMER	CHECKED BY BMC 11/1/2017	DWG. NO.	P-12-H10	F 5	