




DETAIL A




DETAIL B




DETAIL C




DETAIL D



DETAIL E



DETAIL F



DETAIL G

PARTS LIST						
ITEM	QTY	PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	6	X-LWRM	RING MOUNT WELDMENT		68.81	412.85
2	3	X-SV196L	LONG PLATFORM WELDMENT		230.94	692.81
3	6	X-TBW	T-BRACKET WELDMENT		13.60	81.60
4	6	SHCM-T	CHAIN MOUNT TIGHTENER BRACKET	3 in	1.86	11.15
5	6	X-VSKL	LONG SUPPORT WELDMENT FOR VSK REINFORCEMENTS		37.05	222.33
6	6	X-127594	FLAT DISK CLAMP PLATE 4" CENTERS (GALV.)		2.51	15.04
7	12	X-100064	CLAMP (4" V-CLAMP) GALVANIZED		0.92	11.06
8	3	320751-I	1/2" CHAIN SHACKLE		0.76	2.29
9	3	320601-I	5/8" TURNBUCKLE		2.63	7.89
10	6	320777-I	5/16" THIMBLE		0.06	0.36
11	12	320152-I	5/16" WIRE ROPE CLIP		1.32	15.78
12	3	AC516-10	5/16" AIRECRAFT CABLE		1.25	3.76
13	15	SCX4	CROSSOVER PLATE	8 1/2 in	6.02	90.32
14	12	SCX2	CROSSOVER PLATE	7 in	4.80	57.56
15	3	X-AHCP	ANGLE HANDRAIL CORNER PLATE		12.92	38.76
17	3	P30174	2-7/8" O.D. x 174" SCH. 40 PIPE	174 in	84.20	252.59
18	3	P3174	3-1/2" X 174" SCH 40 GALVANIZED PIPE	174 in	109.97	329.90
19	12	P30120	2-7/8" x 120" (2-1/2" SCH. 40) GALVANIZED PIPE	120 in	58.07	696.79
20	18	G58R-48	5/8" x 48" THREADED ROD (HDG.)		4.18	75.27
20	18	G58R-24	5/8" x 24" THREADED ROD (HDG.)		2.09	37.63
21	12	A582114	5/8" x 2-1/4" HDG A325 HEX BOLT	2 1/4 in	0.31	3.75
22	12	A58234	5/8" x 2-3/4" HDG A325 HEX BOLT	2 3/4 in	0.36	4.27
23	12	A58FW	5/8" HDG A325 FLATWASHER		0.03	0.41
24	60	G58LW	5/8" HDG LOCKWASHER		0.03	1.57
25	60	G58NUT	5/8" HDG HEAVY 2H HEX NUT		0.13	7.79
26	6	G12112	1/2" x 1-1/2" HDG HEX BOLT GR5	1/2 in	0.15	0.89
27	3	G12212	1/2" x 2-1/2" HDG HEX BOLT GR5	2 1/2 in	0.20	0.61
28	12	G1204	1/2" x 4" HDG HEX BOLT GR5 FULL THREAD	4 in	0.27	3.24
29	24	G12065	1/2" x 6-1/2" HDG HEX BOLT GR5 FULL THREAD	5 1/2 in	0.41	9.83
30	84	X-UB1300	1/2" X 3" X 5" X 2" U-BOLT (HDG.)		0.67	56.19
31	36	X-UB1306	1/2" X 3-5/8" X 6" X 3" U-BOLT (HDG.)		0.83	29.82
32	288	G12FW	1/2" HDG USS FLATWASHER	3/32 in	0.03	9.82
33	285	G12LW	1/2" HDG LOCKWASHER	1/8 in	0.01	3.96
34	285	G12NUT	1/2" HDG HEAVY 2H HEX NUT		0.07	20.41
35	1	HALO40	5,000 LB. MAINTENANCE TIE-OFF POINT		41.12	41.12
					TOTAL WT. #	3249.41

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030"$)
ALL OTHER ASSEMBLY ($\pm 0.060"$)

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION
14' 6" LOW PROFILE PLATFORM
WITH TWELVE 2-7/8" ANTENNA MOUTING
PIPES, REINFORCED HANDRAIL, AND CABLE





CPD NO.		DRAWN BY CSL 10/17/2019		ENG. APPROVAL 10/18/2019	
CLASS 87	SUB 02	DRAWING USAGE CUSTOMER		CHECKED BY BMC 10/18/2019	

SITE PRO 1
A valmont COMPANY

Locations:
New York, NY
Atlanta, GA
Los Angeles, CA
Plymouth, IN
Salem, OR
Dallas, TX
Tampa, FL

Engineering
Support Team:
1-888-753-7446

PART NO.	RMQLP-4120-H10	1 OF 3 PAGE
DWG. NO.	RMQLP-4120-H10	



TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
 SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030"$)
 DRILLED AND GAS CUT HOLES ($\pm 0.030"$) - NO CONING OF HOLES
 LASER CUT EDGES AND HOLES ($\pm 0.010"$) - NO CONING OF HOLES
 BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
 ALL OTHER MACHINING ($\pm 0.030"$)
 ALL OTHER ASSEMBLY ($\pm 0.060"$)

PROPRIETARY NOTE:
 THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION
**14' 6" LOW PROFILE PLATFORM
 WITH TWELVE 2-7/8" ANTENNA MOUTING
 PIPES, REINFORCED HANDRAIL, AND CABLE**




CPD NO.	DRAWN BY	ENG. APPROVAL
	CSL 10/17/2019	10/18/2019
CLASS	DRAWING USAGE	CHECKED BY
87	CUSTOMER	BMC 10/18/2019



Engineering
 Support Team:
 1-888-753-7446

Locations:
 New York, NY
 Atlanta, GA
 Los Angeles, CA
 Plymouth, IN
 Salem, OR
 Dallas, TX
 Tampa, FL

PART NO.	RMQLP-4120-H10
DWG. NO.	RMQLP-4120-H10



SECTION H-H

NOTE:
SOME OBJECTS ARE TRANSPARENT FOR CLARITY

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE:
SAWED, SHEARED AND GAS CUT EDGES ($\pm 0.030''$)
DRILLED AND GAS CUT HOLES ($\pm 0.030''$) - NO CONING OF HOLES
LASER CUT EDGES AND HOLES ($\pm 0.010''$) - NO CONING OF HOLES
BENDS AND ANGLES ARE $\pm 1/2$ DEGREE
ALL OTHER MACHINING ($\pm 0.030''$)
ALL OTHER ASSEMBLY ($\pm 0.060''$)

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALMONT INDUSTRIES IS STRICTLY PROHIBITED.

DESCRIPTION
**14' 6" LOW PROFILE PLATFORM
WITH TWELVE 2-7/8" ANTENNA MOUTING
PIPES, REINFORCED HANDRAIL, AND CABLE**

CPD NO.		DRAWN BY CSL 10/17/2019		ENG. APPROVAL 10/18/2019	
CLASS 87	SUB 02	DRAWING USAGE CUSTOMER		CHECKED BY BMC 10/18/2019	



Engineering
Support Team:
1-888-753-7446

Locations:
New York, NY
Atlanta, GA
Los Angeles, CA
Plymouth, IN
Salem, OR
Dallas, TX
Tampa, FL

PART NO. RMQLP-4120-H10	
DWG. NO. RMQLP-4120-H10	