

_			2422442			
			PARTS LIST			
ITEM		PART NO.	PART DESCRIPTION	LENGTH	UNIT WT.	NET WT.
1	2	X-VFAW	SUPPORT ARM		71.41	142.81
2	2	P30126	2-7/8" O.D. X 126" SCH. 40 PIPE	126 in	64.63	129.25
3	1	X-MHTPHD	MULTI-HOLE TAPER PLATE WELDMENT		36.24	36.24
4	1	X-HDCAMTBW	CLAMP WELDMENT FOR BCAM-HD		33.86	33.86
5	2	X-LCBP4	BENT BACKING PLATE	13 in	19.00	38.01
6	1	X-HDCAMSS	ANGLE ADJUSTMENT WELDMENT FOR BCAM-HD		16.39	16.39
7	2	X-VFAPL4	VFA-HD PIVOT PLATE	12 in	15.88	31.77
8	1	X-HDCAMSP	POSITIONING PLATE WELDMENT FOR BCAM-HD		2.58	2.58
9	2	X-TBCA	TIE BACK CLIP ANGLE		2.01	4.01
10	1	P2126	2-3/8" X 126" (2" SCH. 40) GALVANIZED PIPE	126 in	40.75	40.75
11	2	X-SPTB	SLIDING PIPE TIE BACK PLATE	5 1/2 in	5.87	11.74
12	8	SCX2	CROSSOVER PLATE	7 in	4.80	38.37
13	2	MCP	CLAMP HALF 1/2" THICK, 11-5/8" LONG	12 1/16 in	3.59	7.19
14	4	DCP	1/2" THICK, 5-3/4" CNTER TO CENTER CLAMP HALF	8 1/8 in	2.36	9.45
15	4	A34212	3/4" x 2-1/2" UNC HEX BOLT (A325)	2 1/2 in	0.48	1.92
16	4	G34FW	3/4" HDG USS FLATWASHER		0.06	0.24
17	4	G34LW	3/4" HDG LOCKWASHER		0.04	0.17
18	4	G34NUT	3/4" HDG HEAVY 2H HEX NUT		0.21	0.85
19	8	G58R-18	5/8" x 18" THREADED ROD (HDG.)		1.57	12.54
20	2	G58R-12	5/8" x 12" THREADED ROD (HDG.)		1.05	2.09
21	4	G58R-8	5/8" x 8" THREADED ROD (HDG.)		0.70	2.79
22	4	X-UB5300	5/8" X 3" X 5-1/4" X 2-1/2" U-BOLT (HDG.)		1.15	4.60
23	4	X-UB5258	5/8" X 2-5/8" X 4-1/2" X 2" U-BOLT (HDG.)		1.00	4.00
24	2	G5807	5/8" x 7" HDG HEX BOLT GR5 FULL THREAD	7 in	0.70	1.41
25	1	G5806	5/8" x 6" HDG HEX BOLT GR5 FULL THREAD	6 in	0.62	0.62
26	4	G5804	5/8" x 4" HDG HEX BOLT GR5		0.44	1.78
27	8	A582114	5/8" x 2-1/4" HDG A325 HEX BOLT	2 1/4 in	0.31	2.50
28	2	G5802	5/8" x 2" HDG HEX BOLT GR5		0.27	0.54
29	15	G58FW	5/8" HDG USS FLATWASHER	1/8 in	0.07	1.06
30	52	G58LW	5/8" HDG LOCKWASHER		0.03	1.36
31	55	G58NUT	5/8" HDG HEAVY 2H HEX NUT		0.13	7.14
32	32	X-UB1300	1/2" X 3" X 5" X 2" GALV U-BOLT		0.74	23.64
33	16	X-UB1212	1/2" X 2-1/2" X 4-1/2" X 2" U-BOLT (HDG.)		0.60	9.56
34	64	G12FW	1/2" HDG USS FLATWASHER	3/32 in	0.03	2.18
35	64	G12LW	1/2" HDG LOCKWASHER	1/8 in	0.01	0.89
36	64	G12NUT	1/2" HDG HEAVY 2H HEX NUT		0.07	4.58
					TOTAL WT. #	628.86

ANT 16005

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (\$ 0.030") ORILLED AND GAS CUT HOLES (\$ 0.030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (\$ 0.010") - NO CONING OF HOLES

BENDS ARE ± 1/2 DEGREE

ALL OTHER MACHINING (± 0.030") ALL OTHER ASSEMBLY (± 0.060")

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALIMONT
INDUSTRIES AND CONDIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF
VALMONT INDUSTRIES IS STRICTLY PROHIBITED.


DESCRIPTION ONE SECTOR HEAVY 10 FRAME AND SELF-SUPPORT / GUYED TOWER ATTACHMENT HDW., NO MOUNTING PIPES



Engineering Support Team: Los Angeles, CA Plymouth, IN Salem, OR Dallas, TX

	CPD N	0.	DRAWN BY	ENG. APPROVAL	PART NO.	
			CEK 9/20/2016		VFA10-HD1T4NP	0 }
	CLASS	SUB	DRAWING USAGE	CHECKED BY	DWG. NO.	TH G
_	81	02	CUSTOMER	BMC 12/22/2017	VFA10-HD1T4NP	4

В	UPDATED BCAM VERSION 1 TO BCAM VERSION 2		CEK	8/7/2018
Α	UPDATED TIE-BACK / SECTOR FRAME LEG CONNECTION		CEK	12/22/2017
REV	DESCRIPTION OF REVISIONS	CPD	BY	DATE
	DEVISION HISTORY			



ANT 16005

B UPDATED BCAM VERSION 1 TO BCAM VERSION 2 CEK 8/7/2018 A UPDATED TIE-BACK / SECTOR FRAME LEG CONNECTION CEK 12/22/2017 REV DESCRIPTION OF REVISIONS CPD BY DATE REVISION HISTORY

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (\$ 0.030") ORILLED AND GAS CUT HOLES (\$ 0.030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (\$ 0.010") - NO CONING OF HOLES

BENDS ARE ± 1/2 DEGREE

ALL OTHER MACHINING (± 0.030") ALL OTHER ASSEMBLY (± 0.060")

PROPRIETARY NOTE:	
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT	
INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF	
VALMONT INDUSTRIES IS STRICTLY PROHIBITED.	


DESCRIPTION ONE SECTOR HEAVY 10 FRAME AND SELF-SUPPORT / GUYED TOWER

ATTACHMENT HDW., NO MOUNTING PIPES



Engineering Support Team: Los Angeles, CA Plymouth, IN Salem, OR Dallas, TX


CPD NO	0.	DRAWN BY	ENG. APPROVAL	PART NO.	
		CEK 9/20/2016		VFA10-HD1T4NP	0 ₹
CLASS	SUB	DRAWING USAGE	CHECKED BY	DWG. NO.	ଳ ନ
81	02	CUSTOMER	BMC 12/22/2017	VFA10-HD1T4NP	4





REV

ANGLE CALIBRATING PROCEDURE:

- 1. MEASURE TOWER TAPER AND PICK LOWER BRACKET HOLE:
 - HOLE A = -2.6° TO 2.6°
 - HOLE B = 1.6° TO 6.8°
- 2. USE CALIBRATING BOLT TO ADJUST FRAME TO **DESIRED TAPER**
- 3. TORQUE LOCKING BOLTS TO 100 ft.-lbs.
- 4. ADVANCE LOCKING NUT TO POSITIONING PLATE, THEN TIGHTEN.







ANT 16005

TOLERANCE NOTES

TOLERANCES ON DIMENSIONS, UNLESS OTHERWISE NOTED ARE: SAWED, SHEARED AND GAS CUT EDGES (\$ 0.030")
DRILLED AND GAS CUT HOLES (\$ 0.030") - NO CONING OF HOLES LASER CUT EDGES AND HOLES (\$ 0.010") - NO CONING OF HOLES

BENDS ARE ± 1/2 DEGREE


DESCRIPTION ONE SECTOR HEAVY 10 FRAME AND SELF-SUPPORT / GUYED TOWER ATTACHMENT HDW., NO MOUNTING PIPES



Engineering Support Team: 1-888-753-7446

Locations New York, NY Atlanta, GA Los Angeles, CA Plymouth, IN

DRAWN BY ALL OTHER MACHINING (± 0.030") CPD NO. ENG. APPROVAL PART NO. B UPDATED BCAM VERSION 1 TO BCAM VERSION 2 CEK 8/7/2018 ALL OTHER ASSEMBLY (± 0.060") CEK 9/20/2016 VFA10-HD1T4NP A UPDATED TIE-BACK / SECTOR FRAME LEG CONNECTION CEK 12/22/2017 OF PAGE PROPRIETARY NOTE: THE DATA AND TODNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALIDORY INDUSTRIES AND CONDIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF VALIDORY INDUSTRIES IS STRICTLY PROPRIETED. DRAWING USAGE CLASS SUB CHECKED BY DWG. NO. DESCRIPTION OF REVISIONS CPD BY DATE 81 02 CUSTOMER BMC 12/22/2017 VFA10-HD1T4NP REVISION HISTORY



B UPDATED BCAM VERSION 1 TO BCAM VERSION 2 CEK 8/7/2018 A UPDATED TIE-BACK / SECTOR FRAME LEG CONNECTION CEK 12/22/2017 REV DESCRIPTION OF REVISIONS CPD BY DATE REVISION HISTORY

BENDS ARE ± 1/2 DEGREE

ALL OTHER MACHINING (± 0.030") ALL OTHER ASSEMBLY (± 0.060")

PROPRIETARY NOTE:
THE DATA AND TECHNIQUES CONTAINED IN THIS DRAWING ARE PROPRIETARY INFORMATION OF VALMONT
INDUSTRIES AND CONSIDERED A TRADE SECRET. ANY USE OR DISCLOSURE WITHOUT THE CONSENT OF
VALMONT INDUSTRIES IS STRICTLY PROMISITED.

A valment T COMMAN

	9/20/2016		VFA10-HD1T4NP	4 6
_ CLASS SUB DRAWING US	SAGE CHECKE	D BY	DWG. NO.	ш ё
" 81 02 CUST	OMER BMC	12/22/2017	VFA10-HD1T4NP	4