

## WRL100: Wraplock Stainless Banding



### Features:

- Stainless Steel banding, 100' roll
- Kit includes 100 fastener buckles and tensioning tool
- Breaking Strength 575 lb.
- Working Load 360 lb. (1.6 X FS)

Part #	Size
WRL100	1/2" x 100'

## WRL100: Wraplock Stainless Banding

### DIRECTIONS FOR USING **WrapLock**

CUT OFF BAND TO PROPER LENGTH.

(SEE TABLE ON COVER OF BOX)


- 1.— PASS ONE END THROUGH YOKE AND BEND BACK ABOUT 1 1/2" AND FLATTEN DOWN.



- 2.— PASS BAND AROUND WORK AND THROUGH YOKE.



- 3.— REPEAT AND PASS END THROUGH A SECOND TIME, DRAW UP FREE END SNUGLY WITH PLIERS.



4.— INSERT FREE END IN SLOT OF RATCHET.



5.— TURN DOWN UNTIL CLAMP IS TIGHT.

- 6.— BACK OFF SLIGHTLY TO REMOVE RATCHET. CLAMP IS NOW SECURELY LOCKED.

### TO REMOVE **WrapLock**

UNCOIL END WITH RATCHET. PRESS DOWN AT POINT WHERE BAND METAL HAS BEEN FORCED THROUGH CURVED PART OF YOKE.

**Hanler Corporation**

39 North Bond Street • Mount Vernon, NY 10550 • 914-668-6091 • Fax: 914-668-6649

© Wraplock Clamps. All rights reserved.

Contact: [Sales & Customer Service](#)

## WRL100: Wraplock Stainless Banding

### Clamp Kits, Cable Ties, Cable Clamps & Clamping Systems




#### **ECONOMICAL TO USE!**

**No need to keep large inventory of assorted size clamps in stock**

**One kit makes all sizes.**

- It's 100 ft. of steel strap with a 1,001 uses.
- It will tie anything that can be tied by a clamp.
- It will conform to any shape.
- It's vibration proof - rust resistant - fool proof.
- Kit includes: 100 ft. coil of strapping, 100 buckles, ratchet wrench & instructions.
- It's the biggest little device ever offered since somebody tied the first knot.

#### **EASY INSTALLATION**



Now being used for Radio & TV Tower installation work, Two-Way Radio installations,

Clamps for Plastic Pipe and Fittings and Outdoor Lighting.

WRAPLOCK® STOCK NUMBERS		
STRAP WIDTH	STAINLESS STEEL	GALVANIZED STEEL
3/4 Inch	SS10034	GS10034
1/2 Inch	SS10012	GS10012
3/8 Inch	SS10038	GS10038
1/4 Inch	SS10014	GS10014

*On all installations exposed to weather conditions we recommend WRAPLOCK® in Stainless Steel.*